

TECHNICAL DATA SHEET				
Trade Name	IRON OXIDE RED			
Type	KC130-1			
REACH	Registration No.01-2119457614-35-xxx			
Chemical Name	Diiron trioxide($Fe_2O_3 \cdot nH_2O$)			
Delivery form	Powder			
CAS No.	1309-37-1			
Specifications	Contents($Fe_2O_3 \cdot nH_2O$)	%	≥96	ISO1248
	Oil Absorption	ml/100g	15-25	ISO787-5
	Res.on 325 mesh	%	≤0.3	ISO787-7
	Water soluble salts	%	≤0.5	ISO787-3
	Moisture	%	≤1	ISO787-2
	PH value		3~7	ISO787-9
	Bulk Density	g/cm ³	0.7-1.1	ISO787-11
	Specific gravity	g/cm ³	5.0	ISO787-10
	Tinting Strength	%	95~105	ISO787-24
	Dispersibility(Hegman)	μm	20/25/30	ISO787-20
	Particle Size	μm	0.17	
	Color Difference ΔE		≤1.0	ISO787-1
	Sales Packing	In 25kg paper bag/1000kg bulk bag then palletized		
Transport &Storage	Protect against weathering. Store in a dry place and avoid extreme fluctuations in temperature. Special conditions for opened packaging: close bags after use to prevent the absorption of moisture and contamination			

Safety	<p>The product is not classified as dangerous under the relevant EC directives and corresponding national regulations valid in the individual EU member states. It is not dangerous according to transport regulations. In countries outside the EU, compliance with the respective national legislation concerning the classification, packaging labeling and transport of dangerous substances must be ensured.</p> <p>The information contained in the safety data sheet should be observed.</p> <p>This contains information on handling product safety and ecology</p>
---------------	---

This information is given in good faith, without warranty. It also applies where proprietary rights of third parties are involved. Our advice does not release you from the obligation to verify the information currently provided and to test our products as to their suitability for the intended processes and uses. The application, use and processing of our products and the products manufactured by you on the basis of our technical advice are beyond our control and, therefore, entirely your own responsibility. Our products are sold in accordance with the current version of our general conditions of sale and delivery.

YUXING

宜兴宇星新材料科技有限公司
YUXING PIGMENT (YIXING) CO., LTD
